

# FAUNA EUROPAEA PROJECT

## Checklist of the land and freshwater Gastropoda of Romania

**Prepared by Ruud A. Bank**

(Chopinlaan 21, 9603 AM Hoogezaand, the Netherlands, phone +31-598-852132)

**Last update: July 24<sup>th</sup>, 2011**

Send remarks/additions/corrections to Ruud.Bank@quicknet.nl

### Statement

The assessment of biodiversity, monitoring changes, sustainable exploitation of biodiversity, and much legislative work depends upon validated knowledge of its components: the taxonomic diversity. However, information and expertise on the European animal species is scattered around numerous public and private organisations, they are in different formats and standards, and are of unequal quality. Fauna Europaea provides a basic tool for the European community, namely a uniform database on the European land and freshwater animal taxonomic diversity. The Fauna Europaea project has build a public WWW service on the scientific names (with selected additional data) of the present living multicellular European land and freshwater animal species. See [www.faunaeur.org](http://www.faunaeur.org) for its website.

The data on the land and freshwater gastropods in the Fauna Europaea database are provided by the present author (Ruud A. Bank). At the request of the scientific community, I here provide a text file on which the [www.faunaeur.org](http://www.faunaeur.org) is based upon. I would like to stress that the latest update of the website is from December 2010, whereas the latest update of the present text file is from July 24<sup>th</sup>, 2011. Furthermore, the systematic framework of the Gastropoda of [www.faunaeur.org](http://www.faunaeur.org) is based on CLECOM, as published in the paper of BANK *et al.* (2001). In the current text file this classification is now abandoned. The current systematic framework follows that of BOUCHET & ROCROI (2005) as it is expected that this classification will be the golden standard in the scientific community for the next decades.

The current list will be updated regularly. Therefore, the author encourages others to provide him with remarks / corrections / additions concerning the present list. Improvements are welcomed all the time! As a further step, I will provide in due time reference lists, as well as the primary citations of the taxa involved.

- R.A. BANK, P. BOUCHET, G. FALKNER, E. GITTINGERGER, B. HAUSDORF, T. VON PROSCHWITZ & TH.E.J. RIPKEN (2001): Supraspecific classification of European non-marine Mollusca (CLECOM Sections I + II). – Heldia, 4 (1/2): 77-128. München.  
P. BOUCHET & J.-P. ROCROI (2005): Classification and Nomenclator of gastropod families. – Malacologia, 47 (1/2): 1-397. Philadelphia.
- 

Phylum Mollusca CUVIER, 1795  
Classis Gastropoda CUVIER, 1795  
Subclassis Neritimorpha KOKEN, 1896  
Ordo Cycloneritimorpha FRÝDA, 1998  
Superfamilia Neritoidea RAFINESQUE, 1815  
Familia Neritidae RAFINESQUE, 1815  
Subfamilia Neritininae POEY, 1852  
Tribus Theodoxini BANDEL, 2001

**Genus *Theodoxus* MONTFORT, 1810**  
**Subgenus *Theodoxus* MONTFORT, 1810**

- *Theodoxus (Theodoxus) danubialis danubialis* (C. PFEIFFER, 1828) – RO
- *Theodoxus (Theodoxus) danubialis stragulatus* (C. PFEIFFER, 1828) – RO
- *Theodoxus (Theodoxus) euxinus* (CLESSIN, 1885) – RO
- *Theodoxus (Theodoxus) fluviatilis fluviatilis* (LINNAEUS, 1758) – RO
- *Theodoxus (Theodoxus) pallasi* LINDHOLM, 1924 – RO  
[*liturata* EICHWALD, 1838]
- *Theodoxus (Theodoxus) prevostianus* (C. PFEIFFER, 1828) – RO
- *Theodoxus (Theodoxus) transversalis* (C. PFEIFFER, 1828) – RO

Subclassis Caenogastropoda Cox, 1960  
 Ordo Architaenioglossa HALLER, 1890  
 Superfamilia Cyclophoroidea J.E. GRAY, 1847  
Familia Cochlostomidae Kobelt, 1902

**Genus *Cochlostoma* JAN, 1830**

**Subgenus *Turritus* WESTERLUND, 1883**

- *Cochlostoma (Turritus) gracile croaticum* (L. PFEIFFER, 1870) – RO  
Familia Aciculidae J.E. GRAY, 1850

**Genus *Acicula* W. HARTMANN, 1821**

- *Acicula parcelineata* (CLESSIN, 1911) – RO  
[*carpathica* A.J. WAGNER, 1912]

**Genus *Platyla* MOQUIN-TANDON, 1856**

- *Platyla banatica* (ROSSMÄSSLER, 1842) – RO  
[*oltenica* NEGREA, 1963]
- *Platyla microspira* (PINI, 1884) – RO
- *Platyla perpusilla* (REINHARDT, 1880) – RO
- *Platyla polita polita* (HARTMANN, 1840) – RO  
[*oedogyra* PALADILHE, 1868]
- *Platyla similis* (REINHARDT, 1880) – RO  
[*transsilvanica* A.J. WAGNER, 1912]

Superfamilia Viviparoidea J.E. GRAY, 1847  
Familia Viviparidae J.E. GRAY, 1847  
 Subfamilia Viviparinae J.E. GRAY, 1847

**Genus *Viviparus* MONTFORT, 1810**

- *Viviparus acerosus acerosus* (BOURGUIGNAT, 1862) – RO  
[*hungaricus* HAZAY, 1881; *rumaenicus* KOELT, 1909]
- *Viviparus contectus* (MILLET, 1813) – RO
- *Viviparus viviparus* (LINNAEUS, 1758) – RO

Infraclassis Sorbeoconcha PONDER & LINDBERG, 1997  
 Ordo \*\*\*\* (unnamed)  
 Superfamilia Cerithioidea FLEMING, 1822  
Familia Melanopsidae H. & A. ADAMS, 1854

**Genus *Melanopsis* A. FÉRUSSAC, 1807**

- *Melanopsis parreyssii* (PHILIPPI, 1847) – RO

**Genus *Esperiana* BOURGUIGNAT, 1877**

**Subgenus *Esperiana* BOURGUIGNAT, 1877**

- *Esperiana (Esperiana) esperi* (A. FÉRUSSAC, 1823) – RO

**Subgenus *Microcolpia* BOURGUIGNAT, 1884**

- *Esperiana (Microcolpia) daudebartii acicularis* (A. FÉRUSSAC, 1823) – RO

**Genus *Holandriana* BOURGUIGNAT, 1884**

- *Holandriana holandrii* (C. PFEIFFER, 1828) – RO  
[*africana* ROSSMÄSSLER, 1837; *aequata* ROSSMÄSSLER, 1837; *costulata* A. SCHMIDT, 1856]

Ordo Littorinimorpha PCHELINTSEV, 1963  
Superfamilia Littorioidea CHILDREN, 1834  
Familia Pomatiidae NEWTON, 1891 (1828)

**Genus *Pomatias* S. STUDER, 1789**

- *Pomatias elegans* (O.F. MÜLLER, 1774) – RO
- *Pomatias rivularis* (EICHWALD, 1829) – RO  
[*costulatum* ROSSMÄSSLER, 1837]

Superfamilia Rissooidea J.E. GRAY, 1847  
Familia Bithyniidae J.E. GRAY, 1857

**Genus *Bithynia* LEACH, 1818**

- *Bithynia leachii* (SHEPPARD, 1823) – RO
- *Bithynia tentaculata* (LINNAEUS, 1758) – RO
- *Bithynia troschelii* (PAASCH, 1842) – RO

Familia Cochliopidae TRYON, 1866  
Subfamilia Semisalsinae GIUSTI & PEZZOLI, 1980

**Genus *Heleobia* STIMPSON, 1865**

**Subgenus *Semisalsa* RADOMAN, 1974**

- *Heleobia (Semisalsa) dobrogica* (GROSSU & NEGREA, 1989) – RO  
[*crinului* BERNASCONI, 1997; *mangaliae* BERNASCONI, 1997; *sarbei* BERNASCONI, 1997]

Familia Hydrobiidae STIMPSON, 1865  
Subfamilia Tateinae THIELE, 1925

**Genus *Potamopyrgus* STIMPSON, 1865**

- *Potamopyrgus antipodarum* (J.E. GRAY, 1843) – RO

Subfamilia Hydrobiinae STIMPSON, 1865

**Genus *Hydrobia* W. HARTMANN, 1821**

- *Hydrobia acuta* (DRAPARNAUD, 1805) – RO

**Genus *Ecrobia* STIMPSON, 1865**

- *Ecrobia pontieuxini* (RADOMAN, 1973) – RO
- *Ecrobia ventrosa* (MONTAGU, 1803) – RO

**Genus *Pseudamnicola* PAULUCCI, 1878**  
**Subgenus *Pseudamnicola* PAULUCCI, 1878**

- *Pseudamnicola (Pseudamnicola) bacescui* GROSSU, 1986 – RO
- *Pseudamnicola (Pseudamnicola) dobrogica* GROSSU, 1986 – RO
- *Pseudamnicola (Pseudamnicola) leontina* GROSSU, 1986 – RO
- *Pseudamnicola (Pseudamnicola) penchinati* (BOURGUIGNAT, 1870) – RO
- *Pseudamnicola (Pseudamnicola) razelmiana* GROSSU, 1986 – RO

Subfamilia Belgrandiinae DE STEFANI, 1877  
Tribus Belgrandiini DE STEFANI, 1877

**Genus *Grossuana* RADOMAN, 1983**

- *Grossuana euxina euxina* (A.J. WAGNER, 1928) – RO  
[*codreanui* GROSSU, 1946]

Tribus Belgrandiellini RADOMAN, 1983

**Genus *Bythiospeum* BOURGUIGNAT, 1882**

- *Bythiospeum carpathica* (SOÓS, 1940) – RO
- *Bythiospeum leruthi* (C. BOETTGER, 1940) – RO
- *Bythiospeum transsylvanica* (ROTARIDES, 1943) – RO

Familia Lithoglyphidae TRYON, 1866  
Subfamilia Lithoglyphinae TRYON, 1866

**Genus *Lithoglyphus* C. PFEIFFER, 1828**

- *Lithoglyphus apertus* (KÜSTER, 1852) – RO
- *Lithoglyphus naticoides* (C. PFEIFFER, 1828) – RO
- *Lithoglyphus pygmaeus* (FRAUENFELD, 1863) – RO

Familia Amnicolidae TRYON, 1863  
Subfamilia Amnicolinae TRYON, 1863

**Genus *Bythinella* MOQUIN-TANDON, 1856**

- *Bythinella austriaca austriaca* (FRAUENFELD, 1857) – RO
- *Bythinella austriaca melanostoma* (BRANCSIK, 1889) – RO
- *Bythinella calimanica* FALNIOWSKI, SZAROWSKA & SIRBU, 2009 – RO
- *Bythinella dacica* GROSSU, 1946 – RO
- *Bythinella grossui* FALNIOWSKI, SZAROWSKA & SIRBU, 2009 – RO
- *Bythinella molcsany* H. WAGNER, 1941 – RO
- *Bythinella radomanii* FALNIOWSKI, SZAROWSKA & SIRBU, 2009 – RO
- *Bythinella viseuiana* FALNIOWSKI, SZAROWSKA & SIRBU, 2009 – RO

Familia Pyrgulidae E. VON MARTENS, 1855  
Subfamilia Turricaspinae B. DYBOWSKI & GROCHMALICKI, 1915

**Genus *Turricaspia* B. DYBOWSKI & GROCHMALICKI, 1915**  
**Subgenus *Turricaspia* B. DYBOWSKI & GROCHMALICKI, 1915**

- *Turricaspia (Turricaspia?) dimidiata* (EICHWALD, 1841) – RO  
[*grossui* GOLIKOV & STAROBOGATOV, 1966]
- *Turricaspia (Turricaspia) spica* (EICHWALD, 1855) – RO

**Subgenus *Laevicaspia* B. DYBOWSKI & GROCHMALICKI, 1917**

- *Turricaspia (Laevicascia) lincta* (MILASCHEWITCH, 1908) – RO

**Subgenus *Oxypyrgula* LOGVINENKO & STAROBOGATOV, 1969**

- *Turricaspia (Oxypyrgula) ismailensis* (GOLIKOV & STAROBOGATOV, 1966) – RO

**Subgenus *Clessiniola* LINDHOLM, 1924**

- *Turricaspia (Clessiniola) variabilis* (EICHWALD, 1838) – RO

**Genus *Caspia* CLESSIN & W. DYBOWSKI, 1887**

**Subgenus *Clathrocaspia* LINDHOLM, 1929**

- *Caspia (Clathrocaspia) gmelinii* CLESSIN & W. DYBOWSKI, 1888 – RO

Familia Truncatellidae J.E. GRAY, 1840

Subfamilia Truncatellinae J.E. GRAY, 1840

**Genus *Truncatella* RISSO, 1826**

- *Truncatella subcylindrica* (LINNAEUS, 1767) – RO  
[laevigata RISSO, 1826]

Subclassis Heterobranchia BURMEISTER, 1837

Ordo Allogastropoda HASZPRUNAR, 1985

Superfamilia Valvatoidea J.E. GRAY, 1840

Familia Valvatidae J.E. GRAY, 1840

**Genus *Valvata* O.F. MÜLLER, 1773**

**Subgenus *Valvata* O.F. MÜLLER, 1773**

- *Valvata (Valvata) cristata* O.F. MÜLLER, 1774 – RO

**Subgenus *Tropidina* H. & A. ADAMS, 1854**

- *Valvata (Tropidina) macrostoma* MÖRCH, 1864 – RO

**Subgenus *Cincinna* HÜBNER, 1810**

- *Valvata (Cincinna) piscinalis* (O.F. MÜLLER, 1774) – RO

**Genus *Borysthenia* LINDHOLM, 1913**

- *Borysthenia naticina* (MENKE, 1845) – RO

Infraclassis Pulmonata CUVIER in BLAINVILLE, 1814

Ordo Hygrophila A. FÉRUSSAC, 1822

Superfamilia Acroloxoidea THIELE, 1931

Familia Acroloxidae THIELE, 1931

**Genus *Acroloxus* H. BECK, 1838**

- *Acroloxus lacustris* (LINNAEUS, 1758) – RO

Superfamilia Lymnaeoidea RAFINESQUE, 1815

Familia Lymnaeidae RAFINESQUE, 1815

Subfamilia Lymnaeinae RAFINESQUE, 1815

**Genus *Galba* SCHRANK, 1803**

**Subgenus *Galba* SCHRANK, 1803**

- *Galba (Galba) truncatula* (O.F. MÜLLER, 1774) – RO

**Genus *Stagnicola* JEFFREYS, 1830**

- *Stagnicola corvus* (GMELIN, 1791) – RO
- *Stagnicola palustris* (O.F. MÜLLER, 1774) – RO
- *Stagnicola tauricula* (HELD, 1836) – RO

**Genus *Radix* MONTFORT, 1810**

- *Radix ampla* (W. HARTMANN, 1821) – RO
- *Radix auricularia* (LINNAEUS, 1758) – RO
- *Radix balthica* (LINNAEUS, 1758) – RO
- *Radix labiata* (ROSMÄSSLER, 1835) – RO

**Genus *Lymnaea* LAMARCK, 1799**

- *Lymnaea stagnalis* (LINNAEUS, 1758) – RO

**Genus *Pseudosuccinea* F.C. BAKER, 1908**

- *Pseudosuccinea columella* (SAY, 1817) – RO

Superfamilia Planorboidae RAFINESQUE, 1815

Familia Physidae FITZINGER, 1833

Subfamilia Physinae FITZINGER, 1833

Tribus Physini FITZINGER, 1833

**Genus *Physa* DRAPARNAUD, 1801**

- *Physa fontinalis* (LINNEAUS, 1758) – RO

Tribus Haitiini D.W. TAYLOR, 2003

**Genus *Haitia* CLENCH & AGUAYO, 1932**

- *Haitia acuta* (DRAPARNAUD, 1805) – RO

Subfamilia Aplexinae STAROBOGATOV, 1967

Tribus Aplexini STAROBOGATOV, 1967

**Genus *Aplexa* FLEMING, 1820**

- *Aplexa hypnorum* (LINNAEUS, 1758) – RO

Familia Planorbidae RAFINESQUE, 1815

Subfamilia Bulininae P. FISCHER & CROSSE, 1880

Tribus Coretini J.E. GRAY, 1847

**Genus *Planorbarius* DUMÉRIL, 1806**

- *Planorbarius corneus corneus* (LINNAEUS, 1758) – RO  
[*banaticus* BOURGUIGNAT, 1859; *similis* M. BIELZ, 1851]

**Genus *Planorbella* HALDEMAN, 1843**

- *Planorbella duryi* (WETHERBY, 1879) – RO  
Tribus Miratestini P. & F. SARASIN, 1897

**Genus *Ferrissia* WALKER, 1903**

**Subgenus *Pettacylus* IREDALE, 1943**

- *Ferrissia (Pettacylus) wautieri* (MIROLI, 1960) – RO  
Subfamilia Planorbinae RAFINESQUE, 1815  
Tribus Planorbini RAFINESQUE, 1815

**Genus *Planorbis* O.F. MÜLLER, 1773**

**Subgenus *Planorbis* O.F. MÜLLER, 1773**

- *Planorbis (Planorbis) carinatus* O.F. MÜLLER, 1774 – RO  
[*tenerimus* M. BIELZ, 1851]
- *Planorbis (Planorbis) planorbis* (LINNAEUS, 1758) – RO

**Genus *Anisus* S. STUDER, 1820**

**Subgenus *Anisus* S. STUDER, 1820**

- *Anisus (Anisus) leucostoma* (MILLET, 1813) – RO
- *Anisus (Anisus) septemgyratus* (ROSSMÄSSLER, 1835) – RO
- *Anisus (Anisus) spirorbis* (LINNAEUS, 1758) – RO

**Subgenus *Disculifer* C. BOETTGER, 1944**

- *Anisus (Disculifer) vortex* (LINNAEUS, 1758) – RO
- *Anisus (Disculifer) vorticulus* (TROSCHEL, 1834) – RO

**Genus *Bathyomphalus* CHARPENTIER, 1837**

- *Bathyomphalus contortus* (LINNAEUS, 1758) – RO

**Genus *Gyraulus* CHARPENTIER, 1837**

**Subgenus *Gyraulus* CHARPENTIER, 1837**

- *Gyraulus (Gyraulus) acronicus* (A. FÉRUSSAC, 1807) – RO
- *Gyraulus (Gyraulus) albus* (OF. MÜLLER, 1774) – RO  
[*microombilicatus* GROSSU, 1987; *pseudocostulatus* GROSSU, 1987]

**Subgenus *Torquis* DALL, 1905**

- *Gyraulus (Torquis) laevis* (ALDER, 1838) – RO

**Subgenus *Lamorbis* STAROBOGATOV, 1967**

- *Gyraulus (Lamorbis) rossmaessleri* (AUERSWALD, 1852) – RO

**Subgenus *Armiger* W. HARTMANN, 1843**

- *Gyraulus (Armiger) crista* (LINNAEUS, 17580 – RO  
[*bielzi* M. VON KIMAKOWICZ, 1884]

Tribus Biomphalariini H. WATSON, 1954

**Genus *Biomphalaria* PRESTON, 1910**

- *Biomphalaria tenagophila* (D'ORBIGNY, 1835) – RO  
Tribus Segmentinini F.C. BAKER, 1945

**Genus *Hippeutis* CHARPENTIER, 1837**

- *Hippeutis complanatus* (LINNAEUS, 1758) – RO

**Genus *Segmentina* FLEMING, 1818**

- *Segmentina nitida* (O.F. MÜLLER, 1774) – RO

Tribus Ancylini RAFINESQUE, 1815

**Genus *Ancylus* O.F. MÜLLER, 1773**

- *Ancylus fluviatilis* O.F. MÜLLER, 1774 – RO

Ordo Eupulmonata HASZPRUNAR & HUBER, 1990  
Superfamilia Ellobioidea L. PFEIFFER, 1854 (1822)  
Familia Ellobiidae L. PFEIFFER, 1854 (1822)  
Subfamilia Pythiinae ODHNER, 1925 (1880)

**Genus *Myosotella* MONTEROSATO, 1906**

- *Myosotella myosotis* (DRAPARNAUD, 1801) – RO

Subfamilia Carychiinae JEFFREYS, 1830

**Genus *Carychium* O.F. MÜLLER, 1773**

**Subgenus *Carychium* O.F. MÜLLER, 1773**

- *Carychium (Carychium) minimum* O.F. MÜLLER, 1774 – RO

**Subgenus *Saraphia* RISSO, 1826**

- *Carychium (Saraphia) tridentatum* (RISSO, 1826) – RO

Ordo Stylommatophora A. SCHMIDT, 1855  
Subordo Elasmognatha MÖRCH, 1863  
Superfamilia Succineoidea H. BECK, 1837  
Familia Succineidae H. BECK, 1837  
Subfamilia Succineinae H. BECK, 1837

**Genus *Succinea* DRAPARNAUD, 1801**

- *Succinea putris* (LINNAEUS, 1758) – RO  
[*mariifiri* GROSSU, 1987; *minuta* M. BIELZ, 1851; *vranceana* GROSSU, 1987]

**Genus *Succinella* J. MABILLE, 1871**

- *Succinella oblonga* (DRAPARNAUD, 1801) – RO

**Genus *Oxyloma* WESTERLUND, 1885**

**Subgenus *Oxyloma* WESTERLUND, 1885**

- *Oxyloma (Oxyloma) dunkeri* (L. PFEIFFER, 1856) – RO
- *Oxyloma (Oxyloma) elegans* (RISSO, 1826) – RO
- *Oxyloma (Oxyloma) pinteri* GROSSU, 1987 – RO

Subordo Orthurethra PILSBRY, 1900  
Superfamilia Cochlicopoidea PILSBRY, 1900 (1879)  
Familia Cochlicopidae PILSBRY, 1900 (1879)  
Subfamilia Cochlicopinae PILSBRY, 1900 (1879)

#### Genus *Cochlicopa* A. FÉRUSSAC, 1821

- *Cochlicopa lubrica* (O.F. MÜLLER, 1774) – RO
- *Cochlicopa lubricicella* (PORRO, 1838) – RO
- *Cochlicopa nitens* (M. VON GALENSTEIN, 1848) – RO

Superfamilia Pupilloidea TURTON, 1831  
Familia Orculidae PILSBRY, 1918  
Subfamilia Orculiniae PILSBRY, 1918

#### Genus *Orcula* HELD, 1838

- *Orcula dobrogica* (GROSSU, 1986) – RO
- *Orcula dolium dolium* (DRAPARNAUD, 1801) – RO
- *Orcula gularis gularis* (ROSSMÄSSLER, 1837) – RO
- *Orcula jetschini* M. VON KIMAKOWICZ, 1883 – RO

#### Genus *Sphyradium* CHARPENTIER, 1837

- *Sphyradium doliolum* (BRUGUIÈRE, 1792) – RO

Familia Argnidae HUDEC, 1965

#### Genus *Argna* COSSMANN, 1889

- *Argna bielzi bielzi* (ROSSMÄSSLER, 1859) – RO
- *Argna bielzi euodon* (WESTERLUND, 1887) – RO
- *Argna bielzi romanica* (M. VON KIMAKOWICZ, 1890) – RO

#### Genus *Agardhiella* P. HESSE, 1923

- *Agardhiella armata* (CLESSIN, 1887) – RO  
[*densicostata* GROSSU & NEGREA, 1969; *nana* GROSSU & NEGREA, 1969]
- *Agardhiella banatica* (ZILCH, 1958) – RO
- *Agardhiella caesa* (WESTERLUND, 1878) – RO
- *Agardhiella crassilabris* (GROSSU & NEGREA, 1969) – RO
- *Agardhiella domokosi* SUBAI, 2011 – RO
- *Agardhiella grossui* (ZILCH, 1958) – RO
- *Agardhiella lamellata* (CLESSIN, 1887) – RO  
[*prahovensis* GROSSU, 1986]
- *Agardhiella incerta* GROSSU, 1986 – RO
- *Agardhiella parreyssii* (L. PFEIFFER, 1848) – RO  
[*licherdopoli* GROSSU, 1986; *moldavica* GROSSU & NEGREA, 1969]
- *Agardhiella reinhardti* (ZILCH, 1958) – RO  
[*angustistoma* GROSSU & NEGREA, 1969]
- *Agardhiella truncatella* (L. PFEIFFER, 1841) – RO
- *Agardhiella tunde* DELI, 2010 – RO

Familia Spelaeodiscidae STEENBERG, 1925

#### Genus *Spelaeodiscus* BRUSINA, 1886 Subgenus *Aspasita* WESTERLUND, 1889

- *Spelaeodiscus (Aspasita) triarius triarius* (ROSSMÄSSLER, 1839) – RO  
[*lamellata* M. BIELZ, 1851; *triadis* M. VON KIMAKOWICZ, 1884]
- *Spelaeodiscus (Aspasita) triarius taticus* (HAZAY, 1883) – RO
- *Spelaeodiscus (Aspasita) triarius trinodis* (M. VON KIMAKOWICZ, 1883) – RO  
[*transsylvania* HAZAY, 1883]

Familia Valloniidae MORSE, 1864  
Subfamilia Valloniinae MORSE, 1864

#### **Genus *Vallonia* RISSO, 1826**

- *Vallonia costata* (O.F. MÜLLER, 1774) – RO
- *Vallonia enniensis* (GREDLER, 1856) – RO
- *Vallonia excentrica* STERKI, 1893 – RO
- *Vallonia pulchella* (O.F. MÜLLER, 1774) – RO

Subfamilia Acanthinulinae STEENBERG, 1917

#### **Genus *Acanthinula* H. BECK, 1847**

- *Acanthinula aculeata* (O.F. MÜLLER, 1774) – RO

Familia Pupillidae TURTON, 1831

#### **Genus *Pupilla* FLEMING, 1828**

##### **Subgenus *Pupilla* FLEMING, 1828**

- *Pupilla (Pupilla) alpicola* (CHARPENTIER, 1837) – RO
- *Pupilla (Pupilla) bigranata* (ROSSMÄSSLER, 1839) – RO
- *Pupilla (Pupilla) muscorum* (LINNAEUS, 1758) – RO  
[*transsilvanica* M. VON KIMAKOWICZ, 1890]
- *Pupilla (Pupilla) sterri* (VOITH, 1840) – RO  
[*carpathica* M. VON KIMAKOWICZ, 1890]
- *Pupilla (Pupilla) triplicata* (S. STUDER, 1820) – RO  
[*bibaca* M. VON KIMAKOWICZ, 1890]

Familia Pyramidulidae KENNARD & B.B. WOODWARD, 1914

#### **Genus *Pyramidula* FITZINGER, 1833**

- *Pyramidula pusilla* (VALLOT, 1801) – RO

Familia Chondrinidae STEENBERG, 1925  
Subfamilia Granariinae KOKSHOORN & E. GITTEMBERGER, 2010

#### **Genus *Granaria* HELD, 1838**

- *Granaria frumentum frumentum* (DRAPARNAUD, 1801) – RO
- *Granaria frumentum hungarica* (M. VON KIMAKOWICZ, 1890) – RO  
[*illyrica* M. VON KIMAKOWICZ, 1883]

Subfamilia Chondrininae STEENBERG, 1925

#### **Genus *Abida* TURTON, 1831**

- *Abida secale secale* (DRAPARNAUD, 1801) – RO

#### **Genus *Chondrina* REICHENBACH, 1828**

- *Chondrina arcadica clienta* (WESTERLUND, 1883) – RO
 

Familia Vertiginidae FITZINGER, 1833  
   Subfamilia Vertigininae FITZINGER, 1833  
   Tribus Truncatellinini STEENBERG, 1925

**Genus *Columella* WESTERLUND, 1878**

- *Columella columella* (G. VON MARTENS, 1830) – RO
- *Columella edentula* (DRAPARNAUD, 1805) – RO

**Genus *Truncatellina* R.T. LOWE, 1852**

- *Truncatellina callicratis* (SCACCHI, 1833) – RO  
   [*strobeli* GREDLER, 1853]
- *Truncatellina claustralis* (GREDLER, 1856) – RO
- *Truncatellina costulata* (NILSSON, 1823) – RO
- *Truncatellina cylindrica* (A. FÉRUSSAC, 1807) – RO
- *Truncatellina opisthodon* (REINHARDT, 1879) – RO

Tribus Vertiginini FITZINGER, 1833

**Genus *Vertigo* O.F. MÜLLER, 1773**

**Subgenus *Vertigo* O.F. MÜLLER, 1773**

- *Vertigo (Vertigo) alpestris* ALDER, 1838 – RO
- *Vertigo (Vertigo) antivertigo* (DRAPARNAUD, 1801) – RO
- *Vertigo (Vertigo) geyeri* LINDHOLM, 1925 – RO
- *Vertigo (Vertigo) mouliniana* (DUPUY, 1849) – RO
- *Vertigo (Vertigo) pusilla* O.F. MÜLLER, 1774 – RO
- *Vertigo (Vertigo) pygmaea* (DRAPARNAUD, 1801) – RO
- *Vertigo (Vertigo) substriata* (JEFFREYS, 1833) – RO

**Subgenus *Vertilla* MOQUIN-TANDON, 1856**

- *Vertigo (Vertilla) angustior* JEFFREYS, 1830 – RO

Superfamilia Enoidea B.B. WOODWARD, 1903 (1880)  
   Familia Enidae B.B. WOODWARD, 1903 (1880)  
   Subfamilia Eninae B.B. WOODWARD, 1903 (1880)  
   Tribus Enini B.B. WOODWARD, 1903 (1880)

**Genus *Pseudochondrula* P. HESSE, 1933**

- *Pseudochondrula seductilis seductilis* (ROSSMÄSSLER, 1837) – RO

**Genus *Jaminia* RISSO, 1826**

- *Jaminia quadridens quadridens* (O.F. MÜLLER, 1774) – RO

**Genus *Ena* TURTON, 1831**

- *Ena montana* (DRAPARNAUD, 1801) – RO  
   [*carpathica* CLESSIN, 1887; *virescens* GROSSU, 1987]

Tribus Multidentulini SCHILEYKO, 1978

**Genus *Multidentula* LINDHOLM, 1925**

- *Multidentula ovularis* (OLIVIER, 1801) – RO

**Genus *Merdigera* HELD, 1838**

- *Merdigera obscura* (O.F. MÜLLER, 1774) – RO

Tribus Chondrulini WENZ, 1923

**Genus *Zebrina* HELD, 1838**

- *Zebrina detrita* (O.F. MÜLLER, 1774) – RO  
[*inflatus* KOBELT, 1877]
- *Zebrina varnensis* (L. PFEIFFER, 1847) – RO

**Genus *Chondrula* H. BECK, 1837**

- *Chondrula microtragus* (ROSSMÄSSLER, 1839) – RO
- *Chondrula tridens* (*tridens*) (O.F. MÜLLER, 1774) – RO  
[*albolimbatus* L. PFEIFFER, 1848; *bayeri* L. PFEIFFER, 1858]

**Genus *Mastus* H. BECK, 1837**

- *Mastus alpicola* (M. VON KIMAKOWICZ, 1890) – RO
- *Mastus bielzi bielzi* (M. VON KIMAKOWICZ, 1890) – RO
- *Mastus bielzi traxleri* (M. VON KIMAKOWICZ, 1890) – RO
- *Mastus transylvanicus* M. VON KIMAKOWICZ, 1883 – RO
- *Mastus venerabilis* (L. PFEIFFER, 1855) – RO  
[*conjunctions* L. PFEIFFER, 1859; *crassilabris* E.A. BIELZ, 1853; *inflata* GROSSU, 1987; *regalis* M. VON KIMAKOWICZ, 1890; *semota* M. VON KIMAKOWICZ, 1890]

Subordo \*\*\*\* (unnamed)  
Superfamilia Achatinoidea SWAINSON, 1840  
Familia Ferussaciidae BOURGUIGNAT, 1883

**Genus *Ceciliooides* A. FÉRUSSAC, 1814**

**Subgenus *Ceciliooides* A. FÉRUSSAC, 1814**

- *Ceciliooides* (*Ceciliooides*) *acicula* (O.F. MÜLLER, 1774) – RO

**Genus *Hohenwartiana* BOURGUIGNAT, 1864**

- *Hohenwartiana orghidani* GROSSU, 1955 – RO

Subordo Sigmurethra PILSBRY, 1900  
Superfamilia Clausilioidea J.E. GRAY, 1855  
Familia Clausiliidae J.E. GRAY, 1855  
Subfamilia Serrulininae EHRMANN, 1927

**Genus *Serrulina* MOUSSON, 1873**

**Subgenus *Serrulina* MOUSSON, 1873**

- *Serrulina* (*Serrulina*) *serrulata* (L. PFEIFFER, 1847) – RO

Subfamilia Alopiinae A.J. WAGNER, 1913  
Tribus Alopiini A.J. WAGNER, 1913

**Genus *Herilla* H. & A. ADAMS, 1855**

- *Herilla ziegleri dacica* (L. PFEIFFER, 1848) – RO

**Genus *Alopia* H. & A. ADAMS, 1855**

**Subgenus *Alopia* H. & A. ADAMS, 1855**

- *Alopia (Alopia) bielzii bielzii* (L. PFEIFFER, 1849) – RO
- *Alopia (Alopia) bielzii madensis* (C. FUSS, 1855) – RO
- *Alopia (Alopia) bielzii tenuis* (E.A. BIELZ, 1861) – RO
  - [*intermedia* M. VON KIMAKOWICZ, 1894; *media* E.A. BIELZ, 1867; *potaissanensis* M. VON KIMAKOWICZ, 1894]
- *Alopia (Alopia) bogatensis bogatensis* (E.A. BIELZ, 1856) – RO
  - [*laevigata* E.A. BIELZ, 1859]
- *Alopia (Alopia) bogatensis angustata* (E.A. BIELZ, 1859) – RO
- *Alopia (Alopia) canescens canescens* (CHARPENTIER, 1852) – RO
  - [*derepens* M. VON KIMAKOWICZ, 1894; *glorifica* ROSSMÄSSLER, 1856; *inornata* M. VON KIMAKOWICZ, 1894; *lactea* E.A. BIELZ, 1853]
- *Alopia (Alopia) canescens ambigua* M. VON KIMAKOWICZ, 1883 – RO
  - [*costicollis* M. VON KIMAKOWICZ, 1894; *decora* R. VON KIMAKOWICZ, 1966]
- *Alopia (Alopia) canescens caesarea* (M. VON KIMAKOWICZ, 1894) – RO
- *Alopia (Alopia) canescens costata* (E.A. BIELZ, 1859) – RO
  - [*alberti* M. VON KIMAKOWICZ, 1894; *mirabilis* M. VON KIMAKOWICZ, 1894; *permira* M. VON KIMAKOWICZ, 1894; *transitans* M. VON KIMAKOWICZ, 1883]
- *Alopia (Alopia) canescens haueri* (E.A. BIELZ, 1859) – RO
  - [*laticosta* O. BOETTGER, 1879]
- *Alopia (Alopia) canescens mauritii* R. VON KIMAKOWICZ, 1928 – RO
- *Alopia (Alopia) canescens nefaria* (M. VON KIMAKOWICZ, 1894) – RO
  - [*incostata* R. VON KIMAKOWICZ, 1966]
- *Alopia (Alopia) canescens kotschyi* R. VON KIMAKOWICZ, 1966 – RO
  - [*michaeli* R. VON KIMAKOWICZ, 1966; *proxima* M. VON KIMAKOWICZ, 1894]
- *Alopia (Alopia) canescens striaticollis* (M. VON KIMAKOWICZ, 1894) – RO Preoccupied!!
- *Alopia (Alopia) fussi* (M. VON KIMAKOWICZ, 1894) – RO
  - [*minima* A. SCHMIDT, 1868]
- *Alopia (Alopia) glorifica glorifica* (CHARPENTIER, 1852) – RO
  - [*canescens* ROSSMÄSSLER, 1856; *diabolina* M. VON KIMAKOWICZ, 1884; *insignis* E.A. BIELZ, 1859; *polita* M. VON KIMAKOWICZ, 1883; *riessi* M. VON KIMAKOWICZ, 1883]
- *Alopia (Alopia) glorifica alpina* R. VON KIMAKOWICZ, 1933 – RO
- *Alopia (Alopia) glorifica boettgeri* M. VON KIMAKOWICZ, 1883 – RO
- *Alopia (Alopia) glorifica elegantissima* H. NORDSIECK, 1977 – RO
  - [*elegans* E.A. BIELZ, 1852]
- *Alopia (Alopia) glorifica galbina* R. VON KIMAKOWICZ, 1943 – RO
  - [*subcosticollis* O. BOETTGER, 1879]
- *Alopia (Alopia) glorifica intercedens* (A. SCHMIDT, 1857) – RO
  - [*cerasina* A. SCHMIDT, 1857]
- *Alopia (Alopia) glorifica mafteiana* GROSSU, 1967 – RO
- *Alopia (Alopia) glorifica magnifica* R. VON KIMAKOWICZ, 1962 – RO
  - [*clessini* R. VON KIMAKOWICZ, 1962]
- *Alopia (Alopia) glorifica subita* (M. VON KIMAKOWICZ, 1894) – RO
- *Alopia (Alopia) glorifica valachiensis* O. BOETTGER, 1879 – RO
- *Alopia (Alopia) glorifica valeriae* SZEKERES, 2007 – RO
- *Alopia (Alopia) helenae helenae* R. VON KIMAKOWICZ, 1928 – RO
  - [*heliana* R. VON KIMAKOWICZ, 1928]
- *Alopia (Alopia) helenae ciucasiana* GROSSU, 1969 – RO
- *Alopia (Alopia) helenae interjecta* H. NORDSIECK, 1984 – RO
- *Alopia (Alopia) hildegardae hildegardae* R. VON KIMAKOWICZ, 1931 – RO
- *Alopia (Alopia) hildegardae fortunata* R. VON KIMAKOWICZ, 1931 – RO
- *Alopia (Alopia) hildegardae soosi* BRANDT, 1961 – RO
  - [*majorosi* SZEKERES, 2007]
- *Alopia (Alopia) lischkeana lischkeana* (CHARPENTIER, 1852) – RO
  - [*conjugens* M. VON KIMAKOWICZ, 1884; *fussiana* E.A. BIELZ, 1852; *pruinosa* CHARPENTIER, 1852]

- *Alopia (Alopia) lischkeana cybaea* (M. VON KIMAKOWICZ, 1894) – RO  
[*obesa* M. VON KIMAKOWICZ, 1883]
- *Alopia (Alopia) lischkeana livens* (E.A. BIELZ, 1853) – RO  
[*jekeliana* SÓOS, 1928]
- *Alopia (Alopia) lischkeana obesa* (M. VON KIMAKOWICZ, 1894) – RO [preoccupied name!]  
[*gracilior* M. VON KIMAKOWICZ, 1884]
- *Alopia (Alopia) lischkeana sarkanyi* SZEKERES, 2007 – RO
- *Alopia (Alopia) lischkeana violacea* (M. VON KIMAKOWICZ, 1894) – RO  
[*grandis* E.A. BIELZ, 1861]
- *Alopia (Alopia) livida livida* (MENKE, 1828) – RO  
[*gratiosa* R. VON KIMAKOWICZ, 1933; *kimakowiczi* R. VON KIMAKOWICZ, 1933; *nota* M. VON KIMAKOWICZ, 1894; *nubila* M. VON KIMAKOWICZ, 1894; *romania* R. VON KIMAKOWICZ, 1933; *straminicervix* R. VON KIMAKOWICZ, 1933]
- *Alopia (Alopia) livida deaniana* (COOKE, 1922) – RO  
[*maxima* M. VON KIMAKOWICZ, 1883]
- *Alopia (Alopia) livida julii* (A.J. WAGNER, 1914) – RO
- *Alopia (Alopia) livida sororcula* SÓOS, 1928 – RO  
[*bipalatalis* M. VON KIMAKOWICZ, 1883; *charpentieri* R. VON KIMAKOWICZ, 1933; *hypula* SÓOS, 1928; *maxima* A. SCHMIDT, 1857; *mixa* R. VON KIMAKOWICZ, 1933; *venusta* R. VON KIMAKOWICZ, 1933]
- *Alopia (Alopia) livida velicana* R. VON KIMAKOWICZ, 1933 – RO
- *Alopia (Alopia) meschendorferi* (E.A. BIELZ, 1858) – RO
- *Alopia (Alopia) nefasta* (M. VON KIMAKOWICZ, 1894) – RO
- *Alopia (Alopia) nixa* (M. VON KIMAKOWICZ, 1894) – RO
- *Alopia (Alopia) petrensis* H. NORDSIECK, 1996 – RO  
[*microstoma* M. VON KIMAKOWICZ, 1883; *occidentalis* O. BOETTGER, 1879]
- *Alopia (Alopia) plumbea plumbea* (ROSSMÄSSLER, 1839) – RO  
[*arcana* R. VON KIMAKOWICZ, 1933; *cornea* A. SCHMIDT, 1855; *princeps* SÓOS, 1928]
- *Alopia (Alopia) plumbea deubeli* (CLESSIN, 1996) – RO  
[*obliviosa* R. VON KIMAKOWICZ, 1966]
- *Alopia (Alopia) plumbea doftanae* H. NORDSIECK, 1977 – RO
- *Alopia (Alopia) plumbea glabriuscula* (ROSSMÄSSLER, 1859) – RO  
[*adventicia* M. VON KIMAKOWICZ, 1894; *bifrons* A. SCHMIDT, 1868; *unipalatalis* O. BOETTGER, 1879]
- *Alopia (Alopia) plumbea mutabilis* (M. VON KIMAKOWICZ, 1894) – RO  
[*dubia* R. VON KIMAKOWICZ, 1966]
- *Alopia (Alopia) plumbea proclivis* (M. VON KIMAKOWICZ, 1894) – RO
- *Alopia (Alopia) plumbea regalis* (M. BIELZ, 1851) – RO
- *Alopia (Alopia) plumbea rossmaessleri* H. NORDSIECK, 1977 – RO
- *Alopia (Alopia) plumbea sabinae* R. VON KIMAKOWICZ, 1928 – RO  
[*mathildae* M. VON KIMAKOWICZ, 1894]
- *Alopia (Alopia) plumbea schmidti* (M. VON KIMAKOWICZ, 1894) – RO  
[*bellicosa* M. VON KIMAKOWICZ, 1894]
- *Alopia (Alopia) plumbea wagneri* (M. VON KIMAKOWICZ, 1894) – RO
- *Alopia (Alopia) straminicollis straminicollis* (CHARPENTIER, 1852) – RO  
[*beata* R. VON KIMAKOWICZ, 1933; *connectens* SÓOS, 1928; *druyvestejni* SÓOS, 1928; *transsylvania* R. VON KIMAKOWICZ, 1933]
- *Alopia (Alopia) straminicollis monacha* (M. VON KIMAKOWICZ, 1894) – RO  
[*reginae* R. VON KIMAKOWICZ, 1933; *tumida* R. VON KIMAKOWICZ, 1966]
- *Alopia (Alopia) straminicollis novalis* (M. VON KIMAKOWICZ, 1894) – RO
- *Alopia (Alopia) subcosticollis subcosticollis* (A. SCHMIDT, 1868) – RO  
[*jickellii* M. VON KIMAKOWICZ, 1894]
- *Alopia (Alopia) subcosticollis grossuana* H. NORDSIECK, 1977 – RO
- *Alopia (Alopia) subcosticollis mariae* R. VON KIMAKOWICZ, 1931 – RO
- *Alopia (Alopia) subcosticollis nordsiecki* GROSSU & TESIO, 1973 – RO
- *Alopia (Alopia) subcosticollis occulta* R. VON KIMAKOWICZ, 1931 – RO
- *Alopia (Alopia) subcosticollis tamasorum* SZEKERES, 2007 – RO
- *Alopia (Alopia) subcosticollis vicina* (M. VON KIMAKOWICZ, 1894) – RO  
[*coronata* R. VON KIMAKOWICZ, 1943; *peregrina* R. VON KIMAKOWICZ, 1943; *riessi* R. VON

KIMAKOWICZ, 1943]

- *Alopia (Alopia) vranceana* GROSSU, 1967 – RO
- *Alopia (Alopia) zagani* SZEKERES, 1969 – RO

#### Subgenus *Kimakowiczia* SZEKERES, 1969

- *Alopia (Kimakowiczia) glauca* (E.A. BIELZ, 1853) – RO  
[*binodis* M. VON KIMAKOWICZ, 1894; *latens* L. PFEIFFER, 1853; *striolata* E.A. BIELZ, 1859;  
*unipalatalis* M. VON KIMAKOWICZ, 1883]
- *Alopia (Kimakowiczia) maciana* BĂDĂRĂU & SZEKERES, 2001 – RO
- *Alopia (Kimakowiczia) pomatias pomatias* (L. PFEIFFER, 1868) – RO  
[*cyclostoma* E.A. BIELZ, 1858]
- *Alopia (Kimakowiczia) pomatias albicostata* (M. VON KIMAKOWICZ, 1894) – RO  
[*grossui* HUDEC, 1970]
- *Alopia (Kimakowiczia) soosiana* AGÓCSY & PÓCS, 1961 – RO

Tribus Cochlodinini LINDHOLM, 1925 (1923)

#### Genus *Macedonica* O. BOETTGER, 1877

- *Macedonica marginata marginata* (ROSSMÄSSLER, 1835) – RO

#### Genus *Cochlodina* A. FÉRUSSAC, 1821

##### Subgenus *Cochlodina* A. FÉRUSSAC, 1821

- *Cochlodina (Cochlodina) laminata laminata* (MONTAGU, 1803) – RO

#### Subgenus *Paracochlodina* H. NORDSIECK, 1969

- *Cochlodina (Paracochlodina) cerata cerata* (ROSSMÄSSLER, 1836) – RO
- *Cochlodina (Paracochlodina) marisi* (A. SCHMIDT, 1868) – RO  
[*transsilvanica* E.A. BIELZ, 1863]
- *Cochlodina (Paracochlodina) orthostoma filiformis* (E.A. BIELZ, 1861) – RO

Subfamilia Clausiliinae J.E. GRAY, 1855  
Tribus Graciliariini H. NORDSIECK, 1979

#### Genus *Graciliaria* E.A. BIELZ, 1867

- *Graciliaria inserta* (A. & J.B. VILLA, 1841) – RO  
[*concilians* E.A. BIELZ, 1853; *ettingeri* A. SCHMIDT, 1856; *undulata* L. PFEIFFER, 1848]

Tribus Clausiliini J.E. GRAY, 1855

#### Genus *Ruthenica* LINDHOLM, 1924

- *Ruthenica filograna filograna* (ROSSMÄSSLER, 1836) – RO
- *Ruthenica filograna catarrhactae* (E.A. BIELZ, 1861) – RO
- *Ruthenica filograna polita* (M. VON KIMAKOWICZ, 1883) – RO (preoccupied!!)
- *Ruthenica gallinae* (E.A. BIELZ, 1861) – RO

#### Genus *Macrogastera* W. HARTMANN, 1841

##### Subgenus *Pyrostoma* VEST, 1867

- *Macrogastera (Pyrostoma) borealis bielzi* H. NORDSIECK, 1993 – RO
- *Macrogastera (Pyrostoma) plicatula* (DRAPARNAUD, 1801) – RO?
- *Macrogastera (Pyrostoma) tumida* (ROSSMÄSSLER, 1836) – RO

#### Genus *Clausilia* DRAPARNAUD, 1805

### **Subgenus *Clausilia* DRAPARNAUD, 1805**

- *Clausilia (Clausilia) cruciata* (STUDER, 1820) – RO
- *Clausilia (Clausilia) pumila* C. PFEIFFER, 1828 – RO

### **Subgenus *Andraea* L. PFEIFFER, 1848**

- *Clausilia (Andraea) dubia gratiosa* SAJÓ, 1968 – RO
- *Clausilia (Andraea) dubia vindobonensis* A. SCHMIDT, 1856 – RO  
[*transsilvanica* A. SCHMIDT, 1856]

Subfamilia Baleinae A.J. WAGNER, 1913

### **Genus *Laciniaria* W. HARTMANN, 1842**

- *Laciniaria exalta exalta* (WESTERLUND, 1878) – RO  
[*pseudostabilis* WESTERLUND, 1901]
- *Laciniaria exalta laticosta* (WESTERLUND, 1884) – RO
- *Laciniaria plicata plicata* (DRAPARNAUD, 1801) – RO  
[*biharica* CLESSIN, 1887; *implicata* M. BIELZ, 1851]
- *Laciniaria plicata coarctata* (A. SCHMIDT, 1868) – RO?
- *Laciniaria plicata costigera* H. NORDSIECK, 2008 – RO  
[*costata* M. VON KIMAKOWICZ, 1883]
- *Laciniaria plicata excepta* (A. SCHMIDT, 1868) – RO
- *Laciniaria plicata transylvanica* (M. VON KIMAKOWICZ, 1883) – RO

### **Genus *Balea* J.E. GRAY, 1824**

- *Balea perversa* (LINNAEUS, 1758) – RO

### **Genus *Alinda* H. & A. ADAMS, 1855**

#### **Subgenus *Alinda* H. & A. ADAMS, 1855**

- *Alinda (Alinda) biplicata biplicata* (MONTAGU, 1803) – RO
- *Alinda (Alinda) biplicata citrinella* (ROSSMÄSSLER, 1838) – RO?
- *Alinda (Alinda) biplicata grandis* (ROSSMÄSSLER, 1835) – RO

### **Subgenus *Pseudalinda* O. BOETTGER, 1877**

- *Alinda (Pseudalinda) fallax* (ROSSMÄSSLER, 1836) – RO  
[*obscura* A. SCHMIDT, 1868; *viridana* M. VON KIMAKOWICZ, 1883]
- *Alinda (Pseudalinda) jugularis* (VEST, 1859) – RO
- *Alinda (Pseudalinda) stabilis* (L. PFEIFFER, 1847) – RO
- *Alinda (Pseudalinda) viridana* (ROSSMÄSSLER, 1836) – RO  
[*montana* L. PFEIFFER, 1847]

### **Genus *Vestia* P. HESSE, 1916**

#### **Subgenus *Vestia* P. HESSE, 1916**

- *Vestia (Vestia) elata* (ROSSMÄSSLER, 1836) – RO  
[*viridana* M. VON KIMAKOWICZ, 1883]
- *Vestia (Vestia) gulo* (E.A. BIELZ, 1859) – RO
- *Vestia (Vestia) turgida turgida* (ROSSMÄSSLER, 1836) – RO
- *Vestia (Vestia) turgida abdita* (M. VON KIMAKOWICZ, 1883) – RO
- *Vestia (Vestia) turgida procera* (E.A. BIELZ, 1853) – RO

### **Genus *Bulgarica* O. BOETTGER, 1877**

#### **Subgenus *Bulgarica* O. BOETTGER, 1877**

- *Bulgarica (Bulgarica) rugicollis rugicollis* (ROSSMÄSSLER, 1836) – RO  
[*banatica* KÜSTER, 1860; *bella* ROSSMÄSSLER, 1842; *hasta* KÜSTER, 1857; *ochracea* KÜSTER, 1857]
- *Bulgarica (Bulgarica) rugicollis carissima* (ROSSMÄSSLER, 1839) – RO  
[*oleata* ROSSMÄSSLER, 1842]
- *Bulgarica (Bulgarica) rugicollis grossui* H. NORDSIECK, 1973 – RO
- *Bulgarica (Bulgarica) rugicollis pagana* (ROSSMÄSSLER, 1842) – RO
- *Bulgarica (Bulgarica) varnensis varnensis* (L. PFEIFFER, 1848) – RO  
[*dobrogensis* LOOSJES & NEGREA, 1968; *invisa* SAJÓ, 1968; *montandoni* GROSSU, 1955; *razelmiensis* GROSSU, 1955; *socialis* L. PFEIFFER, 1848]

#### **Subgenus *Strigilecula* KENNARD & B.B. WOODWARD, 1923**

- *Bulgarica (Strigilecula) cana cana* (HELD, 1836) – RO  
[*flavia* M. VON KIMAKOWICZ, 1884; *turrita* CLESSIN, 1887; *viridana* M. VON KIMAKOWICZ, 1884]
- *Bulgarica (Strigilecula) cana farta* (E.A. BIELZ, 1858) – RO
- *Bulgarica (Strigilecula) cana iostoma* (E.A. BIELZ, 1856) – RO
- *Bulgarica (Strigilecula) cana transylvanica* (A. SCHMIDT, 1853) – RO
- *Bulgarica (Strigilecula) vetusta vetusta* (ROSSMÄSSLER, 1836) – RO  
[*exposita* A. SCHMIDT, 1856; *striolata* E.A. BIELZ, 1861]

Superfamilia Punctoidea MORSE, 1864  
Familia Punctidae MORSE, 1864

#### **Genus *Punctum* MORSE, 1864**

##### **Subgenus *Punctum* MORSE, 1864**

- *Punctum (Punctum) pygmaeum* (DRAPARNAUD, 1801) – RO

Familia Discidae THIELE, 1931 (1866)

#### **Genus *Discus* FITZINGER, 1833**

##### **Subgenus *Discus* FITZINGER, 1833**

- *Discus (Discus) ruderatus ruderatus* (W. HARTMANN, 1821) – RO

##### **Subgenus *Gonyodiscus* FITZINGER, 1833**

- *Discus (Gonyodiscus) perspectivus* (MEGERLE VON MÜHLFELD, 1816) – RO
- *Discus (Gonyodiscus) rotundatus rotundatus* (O.F. MÜLLER, 1774) – RO

Superfamilia Gastrodontoidea TRYON, 1866  
Familia Pristilomatidae T. COCKERELL, 1891

#### **Genus *Hawaiia* GUDE, 1911**

##### **Genus *Vitreia* FITZINGER, 1833**

- *Vitreia contracta* (WESTERLUND, 1871) – RO
- *Vitreia crystallina* (O.F. MÜLLER, 1774) – RO  
[*orientalis* M. VON KIMAKOWICZ, 1883]
- *Vitreia densigirata* (M. VON KIMAKOWICZ, 1890) – RO
- *Vitreia diaphana diaphana* (S. STUDER, 1820) – RO
- *Vitreia maritae* (M. VON KIMAKOWICZ, 1890) – RO
- *Vitreia subcarinata* (CLESSIN, 1877) – RO  
[*jickelii* CLESSIN, 1877]
- *Vitreia subrimata* (REINHARDT, 1871) – RO  
[*clathrata* M. VON KIMAKOWICZ, 1890; *maritae* M. VON KIMAKOWICZ, 1890]
- *Vitreia transsylvania* (CLESSIN, 1877) – RO

**Genus *Troglovitrea* NEGREA & RIEDEL, 1968**

- *Troglovitrea argintarui* NEGREA & RIEDEL, 1968 – RO

Familia Euconulidae H.B. BAKER, 1928  
Subfamilia Euconuliniae H.B. BAKER, 1928

**Genus *Euconulus* REINHARDT, 1883**

**Subgenus *Euconulus* REINHARDT, 1883**

- *Euconulus (Euconulus) fulvus* (O.F. MÜLLER, 1774) – RO

Familia Gastrodontidae TRYON, 1866

**Genus *Zonitoides* LEHMANN, 1862**

**Subgenus *Zonitoides* LEHMANN, 1862**

- *Zonitoides (Zonitoides) nitidus* (O.F. MÜLLER, 1774) – RO

Familia Oxychilidae P. HESSE, 1927 (1879)  
Subfamilia Daudebardiinae KOBELT, 1906

**Genus *Daudebardia* W. HARTMANN, 1821**

**Subgenus *Daudebardia* W. HARTMANN, 1821**

- *Daudebardia (Daudebardia) brevipes* (DRAPARNAUD, 1805) – RO
- *Daudebardia (Daudebardia) ponorica* GROSSU, 1972 – RO
- *Daudebardia (Daudebardia) rufa* (DRAPARNAUD, 1805) – RO  
[*dobrogica* GROSSU, 1960; *getica* GROSSU, 1957]

**Subgenus *Libania* BOURGUIGNAT, 1870**

- *Daudebardia (Libania) dacida* GROSSU, 1969 – RO  
[*incerta* GROSSU, 1969; *?kolosvaryi* H. WAGNER, 1942]
- *Daudebardia (Libania) parvula* GROSSU, 1969 – RO  
[*crystallina* VARGA, 1970]

**Genus *Cibinia* A.J. WAGNER, 1914**

- *Cibinia nana* (GROSSU, 1969) – RO
- *Cibinia transsilvanica* (E.A. BIELZ, 1859) – RO

**Genus *Carpathica* A.J. WAGNER, 1895**

**Subgenus *Carpathica* A.J. WAGNER, 1895**

- *Carpathica (Carpathica) calophana* (WESTERLUND, 1881) – RO  
[*cristata* M. VON KIMAKOWICZ, 1890; *inexplorata* M. VON KIMAKOWICZ, 1890; *jickelii* M. VON KIMAKOWICZ, 1890; *kimakowiczi* A.J. WAGNER, 1895; *pallida* H. WAGNER, 1945]
- *Carpathica (Carpathica) denticulata* GROSSU, 1969 – RO
- *Carpathica (Carpathica?) elisabethae* VARGA, 1977 – RO

**Subgenus *Illyrica* A.J. WAGNER, 1895**

- *Carpathica (Illyrica) langi* (L. PFEIFFER, 1846) – RO  
[*intermedia* GROSSU, 1969; *soosi* H. WAGNER, 1941; *spelaea* GROSSU, 1960]

Subfamilia Oxychilinae P. HESSE, 1927 (1879)

**Genus *Oxychilus* FITZINGER, 1833**

### **Subgenus *Oxychilus* FITZINGER, 1833**

- *Oxychilus (Oxychilus) draparnaudi* (BECK, 1837) – RO

### **Subgenus *Longiphallus* RIEDEL, 1958**

- *Oxychilus (Longiphallus) deilus* (BOURGUIGNAT, 1857) – RO  
[*malinowskii* L. PFEIFFER, 1865; *rumelica* P. HESSE, 1913]

### **Genus *Cellariopsis* A.J. WAGNER, 1914**

- *Cellariopsis deubeli* (A.J. WAGNER, 1914) – RO  
[*orientalis* CLESSIN, 1887]

### **Genus *Morlina* A.J. WAGNER, 1914**

- *Morlina glabra striaria* (WESTERLUND, 1881) – RO  
[*silvestris* M. VON KIMAKOWICZ, 1890]

### **Genus *Mediterranea* CLESSIN, 1880**

- *Mediterranea depressa* (STERKI, 1880) – RO  
[*domestica* M. VON KIMAKOWICZ, 1890]
- *Mediterranea hydatina hydatina* (ROSMÄSSLER, 1838) – RO
- *Mediterranea inopinata* (ULIČNÝ, 1887) – RO  
[*plutonia* M. VON KIMAKOWICZ, 1890]
- *Mediterranea montivaga* (M. VON KIMAKOWICZ, 1890) – RO

### **Genus *Schistophallus* A.J. WAGNER, 1914**

#### **Subgenus *Schistophallus* A.J. WAGNER, 1914**

- *Schistophallus (Schistophallus) oscari* (M. VON KIMAKOWICZ, 1883) – RO  
[*tumida* M. VON KIMAKOWICZ, 1890]

Subfamilia Godwiniinae C.M. COOKE, 1921

### **Genus *Aegopinella* LINDHOLM, 1927**

- *Aegopinella epipedostoma iuncta* HUDEC, 1964 – RO
- *Aegopinella minor* (STABILE, 1864) – RO
- *Aegopinella pura* (ALDER, 1830) – RO

### **Genus *Nesovitrea* C.M. COOKE, 1921**

#### **Subgenus *Perpolita* H.B. BAKER, 1928**

- *Nesovitrea (Perpolita) hammonis* (STRØM, 1765) – RO
- *Nesovitrea (Perpolita) petronella* (L. PFEIFFER, 1853) – RO

Superfamilia Parmacelloidea P. FISCHER, 1856 (1855)  
Familia Milacidae ELLIS, 1926

### **Genus *Tandonia* LESSONA & POLLONERA, 1882**

- *Tandonia budapestensis* (HAZAY, 1881) – RO  
[*cibiniensis* M. VON KIMAKOWICZ, 1884; *valachicus* GROSSU & LUPU, 1961]
- *Tandonia cristata* (KALENICZENKO, 1851) – RO  
[*nanus* GROSSU & LUPU, 1961]
- *Tandonia kusceri* (H. WAGNER, 1931) – RO  
[*balcanicus* GROSSU & LUPU, 1961; *longipenis* GROSSU & LUPU, 1961]

- *Tandonia retowskii* (O. BOETTGER, 1882) – RO  
[*dobrogicus* GROSSU, 1982; *kalenzkoi* CLESSIN, 1883]
- *Tandonia rustica* (MILLET, 1843) – RO

Superfamilia Limacoidea LAMARCK, 1801  
Familia Vitrinidae FITZINGER, 1833

#### **Genus *Semilimax* J.E. GRAY, 1847**

- *Semilimax carinthiacus* (WESTERLUND, 1886) – RO
- *Semilimax semilimax* (J. FÉRUSSAC, 1802) – RO

#### **Genus *Hessemilimax* SCHILEYKO, 1986**

- *Hessemilimax kotulae* (WESTERLUND, 1883) – RO  
[*transsilvanica* M. VON KIMAKOWICZ, 1890]

#### **Genus *Semilimacella* Soós, 1917**

- *Semilimacella carniolica* (O. BOETTGER, 1884) – RO
- *Semilimacella bonellii reitteri* (O. BOETTGER, 1880) – RO  
[*retyezati* A.J. WAGNER, 1915]

#### **Genus *Eucobresia* H.B. BAKER, 1929**

- *Eucobresia diaphana* (DRAPARNAUD, 1805) – RO
- *Eucobresia nivalis* (DUMONT & MORTILLET, 1854) – RO

#### **Genus *Vitrina* DRAPARNAUD, 1801**

- *Vitrina pellucida* (O.F. MÜLLER, 1774) – RO  
[*bielzi* M. VON KIMAKOWICZ, 1890]

#### **Genus *Oligolimax* P. FISCHER, 1878**

- *Oligolimax annularis* (S. STUDER, 1820) – RO  
[*plicosa* E.A. BIELZ, 1867]

Familia Boettgerillidae WIKTOR & LIKHAREV, 1979

#### **Genus *Boettgerilla* SIMROTH, 1910**

- *Boettgerilla pallens* SIMROTH, 1912 – RO

Familia Limacidae LAMARCK, 1801  
Subfamilia Limicinae LAMARCK, 1801

#### **Genus *Limax* LINNAEUS, 1758**

- *Limax cinereoniger* WOLF, 1803 – RO  
[*transsylvaniae* HEYNEMANN, 1862; *zilchi* GROSSU & LUPU, 1960]
- *Limax dobrogicus* GROSSU & LUPU, 1960 – RO
- *Limax graecus* SIMROTH, 1889 – RO [*macedonicus* P. HESSE, 1928]
- *Limax maximus* LINNAEUS, 1758 – RO  
[*altenai* GROSSU & LUPU, 1960]

#### **Genus *Limacus* LEHMANN, 1864**

- *Limacus maculatus* (KALENICZENKO, 1851) – RO

[*ecarinatus* O. BOETTGER, 1881; *grossui* LUPU, 1970]

- *Limacus flavus* (LINNAEUS, 1758) – RO

#### Genus *Malacolimax* MALM, 1868

- *Malacolimax tenellus* (O.F. MÜLLER, 1774) – RO  
[*tigvenius* GROSSU, 1969]

#### Genus *Lehmannia* HEYNEMANN, 1863

- *Lehmannia horezia* GROSSU & LUPU, 1962 – RO
- *Lehmannia jaroslaviae* GROSSU, 1967 – RO
- *Lehmannia macroflagellata* GROSSU & LUPU, 1962 – RO
- *Lehmannia marginata* (O.F. MÜLLER, 1774) – RO  
[*bielzi* LUPU, 1973; *dianae* M. VON KIMAKOWICZ, 1884; *getica* GROSSU, 1970]
- *Lehmannia medioflagellata* LUPU, 1968 – RO
- *Lehmannia nyctelia* (BOURGUIGNAT, 1861) – RO
- *Lehmannia sarmizegetusae* GROSSU, 1970 – RO
- *Lehmannia valentiana* (A. FÉRUSSAC, 1822) – RO
- *Lehmannia vranceensis* LUPU, 1973 – RO

#### Genus *Bielzia* CLESSIN, 1887

- *Bielzia coerulans* (M. BIELZ, 1851) – RO  
[*heynemanni* E.A. BIELZ, 1867; *incompta* M. VON KIMAKOWICZ, 1884; *transylvanicus* HAZAY, 1883]

Familia Agriolimacidae H. WAGNER, 1935  
Subfamilia Agriolimacinae H. WAGNER, 1935

#### Genus *Deroceras* RAFINESQUE, 1820

##### Subgenus *Deroceras* RAFINESQUE, 1820

- *Deroceras* (*Deroceras*) *agreste* (LINNAEUS, 1758) – RO  
[*pajoritensis* HUSANU, 1967; *transcaucasicus* SIMROTH, 1901]
- *Deroceras* (*Deroceras*) *laeve* (O.F. MÜLLER, 1774) – RO
- *Deroceras* (*Deroceras*) *reticulatum* (O.F. MÜLLER, 1774) – RO  
[*altenai* LUPU, 1976]
- *Deroceras* (*Deroceras*) *rodnae* GROSSU & LUPU, 1965 – RO
- *Deroceras* (*Deroceras*) *sturanyi* (SIMROTH, 1894) – RO  
[*romanicus* GROSSU & LUPU, 1959]
- *Deroceras* (*Deroceras*) *thersites* (SIMROTH, 1886) – RO
- *Deroceras* (*Deroceras*) *turicum* (SIMROTH, 1894) – RO  
[*callatis* GROSSU & LUPU, 1963; *dobrogicus* GROSSU, 1969; ?*forcarti* GROSSU & LUPU, 1961;  
*geticus* GROSSU, 1969; *jaeckeli* GROSSU, 1969; ?*padisii* LUPU, 1969; ?*ponori* LUPU, 1972;  
*pseudolytopelte* GROSSU, 1969; *schleschi* GROSSU & LUPU, 1961; ?*transylvanicus* GROSSU,  
1969; ?*vranceanus* GROSSU, 1969; ?*waldeni* GROSSU, 1969; *wiktori* GROSSU, 1969]
- *Deroceras* (*Deroceras*) *zilchi* GROSSU, 1969 – RO

##### Subgenus *Liolytopelte* SIMROTH, 1902

- *Deroceras* (*Liolytopelte*) *bureschi* (H. WAGNER, 1934) – RO  
[*herculana* GROSSU, 1964; *lotrensis* GROSSU, 1970; *olteniana* GROSSU, 1964; ?*suboccidentalis*  
GROSSU & LUPU, 1965]
- *Deroceras* (*Liolytopelte*) *moldavicum* (GROSSU & LUPU, 1961) – RO  
[?*huculorum* BABOR & FRANKENBERGER, 1914; ?*hydrobius* H. WAGNER, 1943]
- *Deroceras* (*Liolytopelte*) *occidentalis* (GROSSU & LUPU, 1966) – RO

#### Genus *Krynickillus* KALENICZENKO, 1851

### **Subgenus *Krynickillus* KALENICZENKO, 1851**

- *Krynickillus (Krynickillus) urbanskii* (WIKTOR, 1971) – RO

Superfamilia Arionoidea J.E. GRAY, 1840  
Familia Arionidae J.E. GRAY, 1840

### **Genus *Arion* A. FÉRUSSAC, 1819**

#### **Subgenus *Mesarion* P. HESSE, 1926**

- *Arion (Mesarion) fuscus* (O.F. MÜLLER, 1774) – RO?
- *Arion (Mesarion) transsylvanus* SIMROTH, 1885 – RO

#### **Subgenus *Carinarion* P. HESSE, 1926**

- *Arion (Carinarion) circumscriptus* JOHNSTON, 1828 – RO
- *Arion (Carinarion) fasciatus* NILSSON, 1823 – RO
- *Arion (Carinarion) silvaticus* LOHMANDER, 1937

#### **Subgenus *Kobeltia* SEIBERT, 1873**

- *Arion (Kobeltia) distinctus* J. MABILLE, 1868 – RO

Superfamilia Helicoidea RAFINESQUE, 1815  
Familia Bradybaenidae PILSBRY, 1934 (1898)  
Subfamilia Bradybaeninae PILSBRY, 1934 (1898)  
Tribus Bradybaenini PILSBRY, 1934 (1898)

### **Genus *Fruticicola* HELD, 1838**

- *Fruticicola fruticum* (O.F. MÜLLER, 1774) – RO  
[*popovicibaznosanui* GROSSU, \*\*\*\*]

Familia Helicodontidae KOBELT, 1904  
Subfamilia Helicodontinae KOBELT, 1904

### **Genus *Soosia* P. HESSE, 1918**

- *Soosia diodonta* (A. FÉRUSSAC, 1821) – RO

Subfamilia Lindholmiolinae SCHILEYKO, 1978

### **Genus *Lindholmiola* P. HESSE, 1931**

- *Lindholmiola girva* (FRIVALDSZKY, 1835) – RO

Familia Cochlicellidae SCHILEYKO, 1972

### **Genus *Cochlicella* A. FÉRUSSAC, 1821**

#### **Subgenus *Cochlicella* A. FÉRUSSAC, 1821**

- *Cochlicella (Cochlicella) acuta* (O.F. MÜLLER, 1774) – RO

Familia Hygromiidae TRYON, 1866  
Subfamilia Monachainae WENZ, 1930 (1904)  
Tribus Euomphaliini SCHILEYKO, 1978

### **Genus *Euomphalia* WESTERLUND, 1889**

- *Euomphalia strigella strigella* (DRAPARNAUD, 1801) – RO
- *Euomphalia strigella mehadiae* (BOURGUIGNAT, 1881) – RO  
[*minima* WESTERLUND, 1889; *moldavica* CLESSIN, 1889]

Tribus Monachaini WENZ, 1930 (1904)

**Genus *Monacha* FITZINGER, 1833**

**Subgenus *Monacha* FITZINGER, 1833**

- *Monacha (Monacha) cantiana* (MONTAGU, 1803) – RO
- *Monacha (Monacha) cartusiana* (O.F. MÜLLER, 1774) – RO

Subfamilia Hygromiinae TRYON, 1866  
Tribus Trochulini LINDHOLM, 1927

**Genus *Trochulus* CHEMNITZ, 1786**

**Subgenus *Trochulus* CHENITZ, 1786**

- *Trochulus (Trochulus) hispidus* (LINNAEUS, 1758) – RO
- *Trochulus (Trochulus) sericeus* (DRAPARNAUD, 1801) – RO

**Subgenus *Plicuteria* SCHILEYKO, 1978**

- *Trochulus (Plicuteria) lubomirskii* (ŠLOŠARSKI, 1881) – RO  
[*clessini* ULIČNÝ, 1885]

**Genus *Petasina* H. BECK, 1847**

**Subgenus *Petasina* H. BECK, 1847**

- *Petasina (Petasina) unidentata unidentata* (DRAPARNAUD, 1805) – RO

**Subgenus *Edentiella* POLIŃSKI, 1929**

- *Petasina (Edentiella) bakowskii* (POLIŃSKI, 1924) – RO

**Subgenus *Filicinella* POLIŃSKI, 1929**

- *Petasina (Filicinella) bielzi bielzi* (E.A. BIELZ, 1859) – RO

**Genus *Xerocampylaea* KOBELT, 1871**

- *Xerocampylaea zelebori* (L. PFEIFFER, 1853) – RO

**Genus *Helicopsis* FITZINGER, 1833**

- *Helicopsis? cereoflava* (M. BIELZ, 1851) – RO  
[*coronensis* M. VON KIMAKOWICZ, 1890; *talmacensis* CLESSIN, 1887]
- *Helicopsis? dejecta* (JAN, 1832) – RO
- *Helicopsis filimargo* (KRYNICKI, 1833) – RO
- *Helicopsis? instabilis* (ROSSMÄSSLER, 1838) – RO  
[*bakowskyana* CLESSIN, 1879; *jachnoi* CLESSIN, 1887; *montandoni* CLESSIN, 1886; *pulchella* M. VON KIMAKOWICZ, 1890; *remota* M. VON KIMAKOWICZ, 1890]
- *Helicopsis striata striata* (O.F. MÜLLER, 1774) – RO

**Genus *Xeropicta* MONTEROSATO, 1892**

- *Xeropicta derbentina* (KRYNICKI, 1836) – RO
- *Xeropicta krynickii* (KRYNICKI, 1833) – RO

Tribus Hygromiini TRYON, 1866

**Genus *Cernuella* SCHLÜTER, 1838**

**Subgenus *Cernuella* SCHLÜTER, 1838**

- *Cernuella (Cernuella) cisalpina* (ROSSMÄSSLER, 1837) – RO  
[*dobrogica* GROSSU, 1983]
- *Cernuella (Cernuella) virgata* (DA COSTA, 1778) – RO

Tribus Leptaxini C. BOETTGER, 1909

**Genus *Pseudotrichia* SCHILEYKO, 1970**

- *Pseudotrichia rubiginosa* (ROSSMÄSSLER, 1838) – RO

**Genus *Monachoides* GUDE & B.B. WOODWARD, 1921**

- *Monachoides bacescui* GROSSU, 1979 – RO
- *Monachoides incarnatus* *incarnatus* (O.F. MÜLLER, 1774) – RO
- *Monachoides vicinus* (ROSSMÄSSLER, 1842) – RO

**Genus *Perforatella* SCHLÜTER, 1838**

- *Perforatella bidentata* (GMELIN, 1791) – RO
- *Perforatella dibothrion* (M. VON KIMAKOWICZ, 1884) – RO

**Genus *Urticicola* LINDHOLM, 1927**

- *Urticicola umbrosus* (C. PFEIFFER, 1828) – RO

Tribus incerta

**Genus *Xerolenta* MONTEROSATO, 1892**

- *Xerolenta obvia obvia* (MENKE, 1828) – RO  
[*dobrudschae* KOBELT, 1877]
- *Xerolenta spiruloides* (A.J. WAGNER, 1916) – RO

**Genus *Kovacsia* H. NORDSIECK, 1993**

- *Kovacsia kovacsi* (VARGA & L. PINTER, 1972) – RO

**Genus *Lozekia* HUDEC, 1970**

- *Lozekia deubeli* (M. VON KIMAKOWICZ, 1890) – RO
- *Lozekia transylvanica* (WESTERLUND, 1876) – RO  
[*fusca* E.A. BIELZ, 1867]

Familia Helicidae RAFINESQUE, 1815  
Subfamilia Ariantinae MÖRCH, 1864

**Genus *Arianta* TURTON, 1831**

- *Arianta aethiops aethiops* (M. BIELZ, 1851) – RO
- *Arianta aethiops petrii* (M. VON KIMAKOWICZ, 1890) – RO
- *Arianta arbustorum arbustorum* (LINNAEUS, 1758) – RO
- *Arianta hessei* (M. VON KIMAKOWICZ, 1883) – RO

**Genus *Drobacia* BRUSINA, 1904**

- *Drobacia banatica* (ROSSMÄSSLER, 1838) – RO
- *Drobacia maeotica* (WENZ, 1926) – RO

**Genus *Cattania* BRUSINA, 1904**

- *Cattania balcanica* (L. PFEIFFER, 1853) – RO  
[*dobrudschae* CLESSIN, 1887]
- *Cattania trizona* (ROSSMÄSSLER, 1835) – RO

**Genus *Faustina* KOBELT, 1904**

- *Faustina faustina faustina* (ROSSMÄSSLER, 1835) – RO  
[*charpentieri* SCHOLZ, 1843; *cibiniensis* M. VON KIMAKOWICZ, 1890; *efasciata* M. VON KIMAKOWICZ, 1890; *kiralikoeica* M. VON KIMAKOWICZ, 1890; *sarmizegethusae* M. VON KIMAKOWICZ, 1890; *talmacensis* M. VON KIMAKOWICZ, 1890; *wagneri* M. VON KIMAKOWICZ, 1890]
- *Faustina faustina associata* (ROSSMÄSSLER, 1835) – RO  
[*barcensis* M. VON KIMAKOWICZ, 1890; *citrinula* ROSSMÄSSLER, 1852; *fortunata* E.A. BIELZ, 1860; *incompta* M. VON KIMAKOWICZ, 1890; *inornata* M. VON KIMAKOWICZ, 1890; *orba* M. VON KIMAKOWICZ, 1890; *subflava* M. VON KIMAKOWICZ, 1883]
- *Faustina illyrica illyrica* (STABILE, 1864) – RO  
[*kornisi* M. VON KIMAKOWICZ, 1890]

**Genus *Isognomostoma* FITZINGER, 1833**

- *Isognomostoma isognomostomos* (SCHRÖTER, 1784) – RO

Subfamilia Helicinae RAFINESQUE, 1815  
Tribus Helicini RAFINESQUE, 1815

**Genus *Cepaea* HELD, 1838**

**Subgenus *Austrotachea* G. PFEFFER, 1930**

- *Cepaea (Austrotachea) vindobonensis* (C. PFEIFFER, 1828) – RO  
[*?dacida* GROSSU & BADARAU, 1990]

**Genus *Helix* LINNAEUS, 1758**

**Subgenus *Helix* LINNAEUS, 1758**

- *Helix (Helix) albescens* ROSSMÄSSLER, 1839 – RO
- *Helix (Helix) lucorum* LINNAEUS, 1758 – RO
- *Helix (Helix) lutescens* ROSSMÄSSLER, 1837 – RO  
[*moldavia* KOBELT, 1906]
- *Helix (Helix) pomatia* LINNAEUS, 1758 – RO  
[*banatica* M. VON KIMAKOWICZ, 1890; *claudiensis* KOBELT, 1906; *cristinae* KOBELT, 1906; *costelata* KOBELT, 1906; *dobrudschae* KOBELT, 1906; *elsae* KOBELT, 1906; *sabulosa* HAZAY, 1881; *transylvanica* KOBELT, 1906]
- *Helix (Helix) secernenda* ROSSMÄSSLER, 1837 – RO